## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

David L. Patton, et al

ANTIMICROBIAL WEB FOR APPLICATION TO A SURFACE

Serial No. 10/737,346

Filed 16 December 2003

Commissioner for Patents P.O. Box 1450 Alexandria, VA. 22313-1450

Sir:

Group Art Unit: 1615

Examiner: Sharon E. Kennedy

## **SUPPLEMENTAL RESPONSE**

In response to the Office Actios dated March 13, 2007 and April 30, 2007, Applicants respectfully request reconsideration in view of the following remarks.

This is being provided to provide appropriate election of species, which Applicants inadvertently failed to properly respond to. In this regard, Applicants elect the species directed to a medium having a visual indicator, and a support layer comprising polyethylene and an adhesive layer comprising a reposition adhesive. Thus, Applicants have now elected one of the first two species, and one each from the remaining two species set forth in third and fourth species.

As a result of the foregoing election of species, Applicants respectfully submit that the following claims are remaining in the instant application: claims 1, 2, 11-23, 28-42, 56, 57, 60-76, 85 and 86.

In accordance with the foregoing, Applicants respectfully submit that Applicants have responded to the appropriate election of

species. However, should the Examiner have any questions, it is respectfully requested that the Examiner call Applicants' attorney, as set forth below.

Respectfully submitted,

Attorney for Applicant(s) Registration No. 27,370

Frank Pincelli/jpc Rochester, NY 14650

Telephone: 585-722-3335 Facsimile: 585-477-4646

If the Examiner is unable to reach the Applicant(s) Attorney at the telephone number provided, the

Examiner is requested to communicate with Eastman Kodak Company Patent Operations at

(585) 477-4656.